





TRX ▶ 766

The all-new **SmarTrac™ Pro** control represents a leap forward in technology: a solid-state PTO switch with lifetime warranty, keyless push-to-start ignition switch and the patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life.

PROTECTION SYSTEM

Our roll-over protection system can

be easily folded down to avoid low

hanging limbs.



The **TRX 766** features a powerful and efficient 37 hp EFI engine to maximize overall performance, fuel economy and provide reliable starting.

TOUGH TRACKS TREAD LIGHTLY

The patent-pending TRX rear torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction.


TRACK OPTIONS

All-terrain Tracks are ideal for side hilling, mud and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.

DUAL FUEL TANKS

Two 7-gallon tanks mean fewer stops for refueling

The optional All-terrain Deck is constructed of heavy-duty, reinforced steel with six swing blades and a sloped back rear discharge that efficiently processes material. Industry-exclusive pivoting blades are forged and heat-treated for exceptional, long-lasting sharpness.



RACKED MOWERS

TRACK BENEFITS

The TRX's tough tracks bridge smoothly over uneven terrain and provide a more comfortable ride than wheeled machines on rough ground.

The TRX's TorgFlex front suspension and rear torsional track suspension work togethe to bridge uneven terrain, delivering stability, a smooth ride and reduced operator fatigue.





Combined with our suspension system, the 12-way adjustable high-back suspension seat with arm rests delivers the industry's smoothest ride.

EXCLUSIVE DECK OPTIONS

Shown with All-terrain Deck

Shown with All-terrain Deck

Equipped with Altoz's exclusive 66" All-terrain Deck for rough cutting or 66" Aero Deck cutting system with adjustable baffles for a professional finish cut.



The dual range Hydro-Gear ZT-5400 transmission efficiently transfers power from the engine to the track system and takes you to a top speed of 11 mph.



WET AREASMore control for mowing around water features, ditches and low areas.



Mow slopes safely with high traction and minimal compaction.



TALL GRASS & UNRULY TERRAIN

Reclaim your property and tame even the harshest terrain.

Heavy-duty, commercial Hydro-Gear® ZT-5400 dual range transmission. Planetary final drive gear reduction delivers maximum torque and durability.



Not all features are available on all models. Check the specifications table or ask your dealer for details.

Patent-pending track system

TRX > 561

The **TRX 561** is an ideal solution for municipalities, golf courses, schools and lawn care professionals.

TRACK OPTIONS

All-terrain Tracks are ideal for side hilling, mud and rough areas other mowers can't reach.
Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.

The all-new SmarTrac™ Pro control represents a leap forward in technology: a solid-state PTO switch with lifetime warranty, keyless push-to-start ignition switch and the patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life.



FLAT-FREE FRONT TIRES

Power through the harshest conditions, even rough terrain and sharp debris, with flat-free tires and rear-mounted track system.

TORQFLEX™ SUSPENSION

TorqFlex front suspension delivers stability, a smooth ride and reduced operator fatigue.

> Tapered heavy duty caster bearings with a 1-1/4" shaft, combined with a 3/8" thick steel front wheel fork ensure lasting performance in demanding environments.



Shown with All-terrain Tracks

AERO DECK™ CUTTING SYSTEM

Equipped with Altoz's exclusive Aero Deck available as a 61" Finish Deck.

ditches and low areas.






SLOPES

Mow slopes safely

with high traction and

TALL GRASS & UNRULY TERRAIN Reclaim your property and tame

Not all features are available on all models. Check the specifications table or ask your dealer for details. Our exclusive Aero Deck is .270-inch fabricated steel and features fully adjustable baffles enabling you to customize your cut to various grass conditions. TRX 561 shown below.



TRX ▶ 354

With its standard Turf Tracks, the capable TRX 354 is ideal for multi-acre homeowners, outdoorsmen & farmers.



AERO DECK CUTTING SYSTEM

Equipped with Altoz's exclusive Aero Deck available as a 54" Finish Deck with adjustable baffles.

FLAT-FREE FRONT TIRES

Power through the harshest conditions, even rough terrain and sharp debris, with flat-free tires and rear-mounted track system.



Kawasaki™ FX 4-stroke engines are available in 31 hp (TRX 561) and 27 hp (TRX 354).



The Altoz Independent Front Suspension (IFS) smooths out rough terrain for superb comfort and control. Available as an accessory on TRX 354 models.



XC > SERIES

HEAVY-DUTY CHASSIS

Our C-channel frame is laser-cut and welded from heavy gauge steel for maximum strength and rigidity.

POWER DECK LIFT

Conveniently located steering lever mounted control allows for quick and easy deck height adjustments without having to take your hand off the steering lever.

IMPRESSIVE ENGINE OPTIONS

The XC is available with powerful engine options, including Kawasaki and Vanguard.

BUILT FOR SPEED

With a top transport speed of 19 mph, the Altoz XC series can get the job done...fast.

EASY ACCESS

Deck step with raised metal traction plate.

RIDER COMFORT

4-Point Engine Isolation System (EIS) isolates and absorbs engine vibrations for greater rider comfort. 6-Point Vibration Isolation System (VIS) isolates seat and foot wells protect rider from ground vibrations.

The TorqFlex™ suspension system glides over tough terrain and isolates chassis and rider from ground chatter for greater rider comfort.

ALTOZ



The powerful, high-performing XC Series delivers a premium cut you can be proud of.

DUAL FUEL TANKS

Two 7-gallon tanks mean fewer stops for refueling.



SmarTrac™ Monitoring System features a tachometer and resettable hour meter, with alerts for low oil pressure and overheating.

INCREASED VISIBILITY

Low-profile front frame viewpoint allows for improved operator sight.

AERO DECK™ CUTTING SYSTEM

Our exclusive Aero Deck is .270-inch fabricated steel and features recessed anti-scalp wheels and fully adjustable baffles for a professional-grade cut every time. Available in 61" and 72" deck sizes.



Heavy-duty, commercial Hydro-Gear® ZT-5400 dual range, smooth-running transmissions.





XP HD > SERIES

IMPRESSIVE

ENGINE OPTIONS

The XP HD is available

with powerful Kohler

and Kawasaki engine

options.

FOLDABLE PROTECTION SYSTEM

Our roll-over protection system can be easily folded down to avoid low hanging limbs. The **XP HD Series** is engineered for reliability and a precise cut, designed for people who rely on their equipment to deliver nothing less than perfection.

RIDER COMFORT AND CONVENIENCE

12-way adjustable high-back suspension seat with arm rests delivers the industry's smoothest ride. A 12-volt power outlet, device storage compartment and cup holder provides rider convenience.

Suspension seat appearance may vary based on model.

Commercial-grade Hydro-Gear® 4400 transmissions ensure smooth, reliable and responsive operation



DECK HEIGHT ADJUSTMENT

EXTENDED OPERATION

14-gallon fuel capacity provides

extended cutting time.

Rotational deck height adjustment changes cutting height setting with the turn of a dial.



The all-new SmarTrac™ Pro control represents a leap forward in technology: a solid-state PTO switch with lifetime warranty, keyless push-to-start ignition switch and the patented SoftStart clutch control that decreases mechanical wear

and significantly increases deck belt life.



RUGGED CHASSIS

C-channel frame for strength, durability, and ultimate control.

combined with a 3/8" thick steel front wheel fork ensure lasting performance in demanding environments.

Tapered heavy duty caster bearings with a 1-1/4" shaft,





Our exclusive Aero Deck™ is .270-inch fabricated steel & features fully adjustable baffles enabling you to customize your cut to various grass conditions. Available in 54″, 61″, 66″ & 72″ widths.

ANTI-SCALP WHEELS

Recessed and adjustable.

Heat-dissipating aluminum deck spindle housings with four sealed bearings per spindle operate at lower temperatures for extreme strength and durability.



24" TIRES





The **XE Series** is rugged, reliable and built to endure.

RUGGED CHASSIS C-channel frame rails with formed, laser-cut and welded heavy-gauge steel for maximum strength and rigidity. The property of the property of

The XE SS model comes equipped with a 12-way adjustable suspension seat.

Commercial-grade
Hydro-Gear® 3200
transmissions ensure
smooth, reliable and
responsive operation.

LOW IMPACT

Tires designed to lessen terrain impact and provide a smoother ride.



Our roll-over protection system can be folded down easily to avoid low hanging limbs.

DUAL FUEL TANKSTwo 5-gallon fuel tanks mean

refueling less often.

INCREASED VISIBILITY

Low-profile front frame viewpoint allows for improved operator sight.



Our exclusive fabricated steel Aero Deck™ features anti-scalp wheels and fully adjustable baffles to customize your cut for various grass conditions. Available in 54" and 61" widths.

rough

The Altoz Independent Front
Suspension (IFS) smooths out
rough terrain for superb comfort
and control. Standard on
SS model; available as an
accessory on other
XE models.

Not all features are available on all models. Check the specifications table or ask your dealer for details.



Cut with speed and precision around trees, flowerbeds and other obstacles with the XR's responsive and adjustable steering.

INCREASED VISIBILITY

Low-profile front frame viewpoint allows for improved operator sight.



AERO DECK™ CUTTING SYSTEM

48" or 54" signature Deep-Deck design with adjustable baffles creates optimal vacuum for maximum grass lift, resulting in an exceptional cut.

IMPRESSIVE ENGINE

The XR is available with a 23 hp Kawasaki engine to tackle tough jobs.

BUILT TO COMMERCIAL STANDARDS

With its laser-cut steel chassis, fabricated cutting deck and heat dissipating deck spindles, the XR is built to perform.

Hydro-Gear® ZT-3100 transmission for smooth handling and reliability.



arm gas

The XR SS features a double arm adjustable coil spring over gas shock front suspension.
Standard on SS model; available as an accessory on other XR models.

SERIES

Driven by passion.

Powered by performance.

ACCESSORIES





Hydraulic utility plow with 7-gauge trip frame superstructure; features an adjustable 72″ moldboard with 48″ trip frame. Spreader is ideal for light rock salt, fertilizers and fine material grade applications.

Available for TRX 766 only.

COLLECTION SYSTEM WITH DUMP BOX

Large-capacity collection system is an effective and efficient way to collect grass clippings and leaves. The dump box hopper holds up to 12 cubic feet and allows the operator to release contents right from the mower seat.



Stripe or create more complex patterns in the lawns you mow. Includes flexible rubber striper and all mounting hardware.



Our standard hitch features a 5/8" opening for drop pin (available for all models). Our super-strong receiver hitch

features standard 1-1/4" × 1-1/4" trailer hitch receiver.





Operator-controlled discharge cover allows you to open and close the outlet quickly while mowing. Lighting kit includes 2 LED lights built in an aluminum, shock-proof, waterproof casing. Each light provides 950 lumens with a spot beam of 25 degrees.



MODEL SPECS











All specifications and features are subject to change, see dealer for details. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information.

*See dealer for warranty details. For additional information, go to Altoz.com
**VIS = Vibration Isolation System; EIS = Engine Isolation System

	XR SERIES			XE SERIES			XP HD SERIES					XC SERIES		TRX SERIES			
Model	XR 480	XR 540	XR 540 SS	XE 540	XE 610	XE 610 SS	XP 540 HD	XP 610 HD	XP 610 HDi	XP 660 HD	XP 720 HD	XC 610 Z	XC 720 Zi	TRX 354	TRX 561	TRX 766 i Finish Cut	TRX 766 i All-terrain
Engine	Kawasaki FR	Kawasaki FR	Kawasaki FR	Kawasaki FS	Kawasaki FS	Kawasaki FS	Kawasaki FX	Kawasaki FX	Kohler Command PRO EFI	Kawasaki FX	Kawasaki FX	Kawasaki FX	Vanguard EFI	Kawasaki FX	Kawasaki FX	Vanguard EFI	Vanguard EFI
hp	23	23	23	24	24	24	27	31	33	31	35	31	37	27	31	37	37
Displacement	691 cc	691 сс	691 сс	726 сс	726 сс	726 сс	852 сс	921 cc	824 сс	921 cc	999 сс	921 cc	993 сс	852 сс	921 cc	993 сс	993 сс
Deck Width	48"	54″	54"	54"	61″	61″	54″	61″	61″	66"	72"	61″	72″	54″	61″	66"	66"
Weight	800 lbs	820 lbs	830 lbs	930 lbs	960 lbs	970 lbs	1330 lbs	1360 lbs	1360 lbs	1400 lbs	1415 lbs	1400 lbs	1500 lbs	1200 lbs	1540 lbs	1600 lbs	1600 lbs
Transmission	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-3400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low
Fuel Capacity	5 gallons	5 gallons	5 gallons	10 gallons	10 gallons	10 gallons	14 gallons	14 gallons	14 gallons	14 gallons	14 gallons	14 gallons	14 gallons	10 gallons	14 gallons	14 gallons	14 gallons
Rear Tire/Track Size	20"	20″	20"	22"	22″	22"	24"	24"	24"	24"	24"	26″	26″	11″×69″	11″×72″	11″×82″	11″×82″
Speed	8 mph	8 mph	8 mph	9 mph	9 mph	9 mph	11 mph	11 mph	11 mph	11 mph	11 mph	19 mph	19 mph	8 mph	9 mph	11 mph	11 mph
Instruments	Hour Meter	Hour Meter	Hour Meter	Hour Meter	Hour Meter	Hour Meter	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro	SmarTrac	SmarTrac	Hour Meter	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro
Suspension	Front Suspension	Independent Front Suspension (Accessory)	Independent Front Suspension (Standard)	Front Suspension	Front Suspension	Independent Front Suspension (Standard)	-	-	-	-	_	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	Independent Front Suspension (Accessory)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)
Seat	Mid-back adjustable seat			High-back adjustable seat with arm rests			Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable sus- pension seat	Adjustable sus- pension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat
Deck Lift		Manual		Manual			Manual					Power		Manual			
Warranty*	3 Year Unlimited Engine 2 Year Unlimited Transmission 3-Year/400 Hours 1-Year No Hour Limitation			3 Year Unlimited Engine 2 Year Unlimited Transmission 3-Year/600 Hours 1-Year No Hour Limitation			3 Year Unlimited Engine 2 Year Unlimited Transmission 3 Years/1500 Hours First 2-Years No Hour Limitation					3 Year Unlimited Engine 2 Year Unlimited Transmission 3 Years/1500 Hours First 2-Years No Hour Limitation		3 Year Unlimited Engine 2 Year Unlimited Transmission 1 Year Manufacturer			
Other**	-	-	-	-	-	-	-	-	-	-	-	VIS / EIS	VIS / EIS	-	-	-	-

ALTOZ ZERO-TURN MOWERS / ALTOZ.COM



YOUR SEARCH ENDS HERE

Looking for power, all-in style and the satisfaction of a job well done? Look no further than Altoz. Our high-quality zero-turn mowers provide a superior precision cut with unmatched rider comfort and style.

Go ahead...park it where the neighbors can see it.



©2019-2020' Altoz, Inc. All information contained within this publication is based on the latest product information available at the time of publication. Because Altoz, Inc. makes constant improvements in the design and quality of its products, some minor discrepancies may result between the actual machine and the information presented in this brochure. Altoz reserves the right to change specifications and design without notice. Depictions of operation are intended for reference only. Always wear the proper personal protective gear and operate within your capability. No liability can be accepted for omissions or inaccuracies. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information. Altoz, the Altoz logo, TorqFlex, Aero Deck and SmarTrac are trademarks of Altoz, Inc. Other trademarks are the property of their respective owners. Printed in the USA.

