



STIHL

**2020
FULL LINE
BATTERY &
ELECTRIC
CATALOG**

THE RIGHT EQUIPMENT FOR EVERY TASK

We want to make work as easy as possible for you, by giving you tools you can rely on 100% for functionality and performance. Of course that applies to the many product innovations presented in this catalog too, including the easy-to-handle cordless power tools.

The STIHL GTA 26 is a particular highlight: Our new, very compact pruner is an extremely versatile garden maintenance tool, which is ideal when you get that spur-of-the-moment impulse to go to work on the garden of your dreams. You'll be amazed by how much fun it is with our new cordless power tools.

I hope you enjoy browsing this catalog – and using our products!



N. Stihl

Dr. Nikolas Stihl
Chair of the STIHL Advisory Board





TABLE OF CONTENTS

2	Battery Products	28	Trimmers	39	Cut-Off Machine
16	iMOW® Robotic Mowers	30	Hedge Trimmers	40	Lawn Mowers
18	Corded-Electric Products	34	Blowers	46	Hand Tools
22	Chain Saws	36	Pressure Washer	47	Protective Apparel & Accessories
25	STIHL connected	37	Sprayers & Wet/Dry Vacuums		
		38	Multi-Task Tool		



BATTERY POWER. MADE BY STIHL.

The quality and performance you've come to expect from STIHL in three easy-to-use battery packages.



**AI
SERIES****CONVENIENT**

Featuring an integrated battery, this series is ideally suited for quick tasks around smaller yards and condominiums.

**AK
SERIES****VALUE-PACKED**

Exceptional power meets exceptional value: This series is ideally suited for frequent use around suburban yards.

**AP
SERIES****POWERFUL**

Boasting professional-grade power, this series is designed for extensive use on a wide range of properties.





MSA 120 C-B

AK



MSA 140 C-B

AK



MSA 160 C-B

AP



MSA 200 C-B

AP



NEW

MSA 220 C-B

AP



NEW

MSA 161 T

AP

BATTERY CHAIN SAWS & TRIMMERS

With a diverse line of battery-powered chain saws and trimmers, STIHL has you covered delivering premium cutting performance in a cordless package.



FSA 45

AI



NEW

FSA 57

AK



FSA 85

AP



FSA 90 R

AP



FSA 130 R

AP





BATTERY BLOWERS & HEDGE TRIMMERS

Zero cords, zero exhaust emissions and high performance: STIHL offers a complete line of battery-powered blowers and hedge trimmers for homeowners and professional users alike.



BGA 45



NEW
BGA 57



BGA 85



BGA 100



NEW
BGA 200





HSA 25

“These shears are the best thing to happen to my gardening and landscaping life! They cut through field grass, vines, weeds, and shrub stems easily.”

User: AKtoWA, Washington

Check out this review and others on the product pages at STIHLUSA.COM.



HSA 25
GARDEN SHEARS



HSA 66



HSA 45



HSA 94 R



HSA 56



HSA 94 T





BATTERY SPECIALTY SOLUTIONS


Our extensive range of battery tools includes a diverse line up of extended-reach hedge trimmers, pole pruners and a dynamic multi-task tool designed for efficiency.



NEW


HLA 56

EXTENDED-REACH
HEDGE TRIMMER




HLA 65

EXTENDED-REACH
HEDGE TRIMMER




HLA 85

EXTENDED-REACH
HEDGE TRIMMER



HTA 65

POLE PRUNER




HTA 85

POLE PRUNER





KMA 130 R
KOMBIMOTOR



Combine one of
fourteen KombiSystem
attachments and you're
ready to go.



KMA 130 R

“This machine gets the job done for any homeowner or professional. The battery of the AP 300 is impressive. Looking forward to buying more attachments.”

User: Jamminjimm, Ohio

Check out this review and others on the product pages at STIHLUSA.COM.



TSA 230
STIHL Cutquik®



NEW
GTA 26
GARDEN PRUNER





BATTERY LAWN MOWERS & BATTERY ACCESSORIES

With easy starts at the push of a button and zero fuel required, STIHL battery-powered lawn mowers provide a convenient, easy-to-use option for suburban lawn maintenance.



19" Deck

RMA 460
LAWN MOWER



19" Deck

NEW
RMA 460 V
SELF-PROPELLED LAWN MOWER



21" Deck

RMA 510
LAWN MOWER



21" Deck

NEW
RMA 510 V
SELF-PROPELLED LAWN MOWER





**AK 10 | AK 20
AK 30**
BATTERY



**AP 100 | AP 200
AP 300 | AP 300 S**
BATTERY



**AR 1000 | AR 2000
AR 3000**
BATTERY BACKPACKS



NEW
**AR 2000 L |
AR 3000 L**
BATTERY BACKPACKS



NEW
AS 2
BATTERY



AL 101
CHARGER



AL 300 | AL 500
CHARGER



NEW
AL 1
CHARGER



**BATTERY
CARRYING CASE**





BATTERY BELT WITH HARNESS

AP



AP ADAPTER

AP



AP BATTERY BACKPACK

AP



AP BATTERY BAG

AVAILABLE WITH CONNECTING CABLE

AP



NEW
AR 2000 L |
AR 3000 L
BATTERY HARNESS

AP




NEW
AR 2000 L |
AR 3000 L
CONNECTING CABLE

AP

SELECTING THE BEST AP OR AR BATTERY ACCESSORIES FOR YOUR NEEDS.

Some AP Series battery-powered tools do not have an onboard style battery. Instead they are equipped with a socket that connects a cable to a battery source. The combination of accessories you need for this type of battery power supply is based on which battery type you choose - the AP or AR battery. See below for compatible configurations.



POWER OPTIONS FOR POWER TOOLS EQUIPPED WITH A SOCKET (NO ONBOARD BATTERY SLOT)

AP SERIES BATTERIES

- AP 100
- AP 200
- AP 300
- AP 300 S



AR SERIES BATTERIES

- AR 1000
- AR 2000
- AR 3000



AR "L" SERIES BATTERIES

- AR 2000 L
- AR 3000 L



Note: The AP adapter is required for charging the AR backpack batteries.

OPTIONAL ACCESSORY/POWER SOURCE COMPATIBILITY FOR POWER TOOLS EQUIPPED WITH A SOCKET

- AP SERIES
- AR SERIES
- AR "L" SERIES



Power Tool	Battery Belt with Harness ¹	AP Battery Backpack ¹	AP Battery Bag with Connecting Cable ²	BGA 200 Carrying System	BGA Hip Pad	FSA / KMA Hip Pad	AR 2000 L / AR 3000 L Battery Harness ³	AR 2000 L / AR 3000 L Connecting Cable ⁴
BGA 100	●	●	●		● ● ○		○	○
BGA 200				● ● ○	● ● ○		○	○
FSA 130 R	●	●	●		● ● ○	● ● ○	○	○
HSA 94 R	●	●	●				○	○
HSA 94 T	●	●	●				○	○
KMA 130 R	●	●	●			● ● ○	○	○

1 Used in conjunction with AP Battery Bag with Connecting Cable (separate accessory - shown above). May also use optional AP Battery Bag for spare battery (separate accessory - not shown).
 2 Used in conjunction with AP Battery Belt with Harness or AP Battery Backpack spare battery (separate accessory - shown above).
 3 Only compatible with AR 2000 L and AR 3000 L backpack batteries. Used in conjunction with AR 2000 L / 3000 L connecting cable. (separate accessory - shown above).
 4 Only compatible with AR 2000 L and AR 3000 L backpack batteries. Used in conjunction with AR 2000 L / 3000 L battery harness. (separate accessory - shown above).

AK 10
BatteryAK 20
BatteryAK 30
Battery**AI SERIES BATTERIES****Battery Charging Times - Minutes**

(80%/100% capacity using LK 45 Charger)

FSA 45	145/210
HSA 45	145/210
BGA 45	210/300

Working Times Per Battery Charge - Minutes¹

FSA 45 (STIHL PolyCut™ 2:2 blades/.65 line)	20/12
HSA 45	40
BGA 45	10

NEW! GTA 26**Battery Charging Times - Minutes**

(80%/100% capacity using AL 1 Charger)

GTA 26	55/70
---------------	-------

Working Times Per Battery Charge - Minutes¹

GTA 26	25
---------------	----

HSA 25**Battery Charging Times - Minutes**

(80%/100% capacity using AL HSA 25 Charger)

HSA 25	140/180
---------------	---------

Working Times Per Battery Charge - Minutes¹

HSA 25	110
---------------	-----

Note: The GTA 26 battery and charger is not interchangeable with the HSA 25 battery and charger.

¹ The battery working time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.

AK SERIES BATTERIES**Battery Charging Times - Minutes (80%/100% capacity)**

AL 101 Charger	55/80	105/150	160/205
AL 300 Charger	20/30	25/45	35/60
AL 500 Charger	20/30	25/45	35/60

Working Times Per Battery Charge - Minutes¹

MSA 120 C-B	15*	35	55
MSA 140 C-B	15*	35*	45
NEW! FSA 57	20	40	60
NEW! HLA 56	40	80	120
HSA 56	40	80	120
NEW! BGA 57	8	18	27

Working Times Per Battery Charge - Sq. Ft.¹

RMA 460	–	2,207	2,852
NEW! RMA 460 V	–	–	2,347

Note: Battery/tool combinations providing the best balance, adequate run-time and performance are shown in bold.

* Reduced tool performance.

¹ The battery working time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.

AP 100 AP 200 AP 300 AP 300 S AR 1000 AR 2000 AR 3000

KMA 130 R AND KOMBISYSTEM ATTACHMENTS**Working Times Per Battery Charge - Minutes (Performance Levels 1-3)¹**

BF-KM	Mini-Cultivator	15-12	31-25	45-35	57-46	125-90	180-140	230-180
BG-KM	Blower	13-5	26-10	35-3	48-19	100-40	150-60	190-70
FBD-KM	Bed Redefiner	5-5	9-9	15-5	–	40-40	55-55	70-70
FCB-KM	Curved Lawn Edger	11-6	23-12	32-17	41-22	90-45	130-85	160-85
FCS-KM	Straight Lawn Edger	11-6	23-12	32-17	41-22	90-45	130-70	160-85
FS-KM	Line Head Trimmer	13-6	60-30	35-18	47-22	100-50	140-75	180-90
FS-KM	Brushcutter	25-15	30-14	75-45	93-50	200-130	300-190	380-240
FH-KM	145° Power Scythe	60-40	–	180-120	–	500-330	730-80	900-600
HL-KM	0° Hedge Trimmer	60-40	123-81	180-120	229-152	500-330	730-480	900-600
HL-KM	145° Hedge Trimmer	60-40	123-81	180-120	229-152	500-330	730-480	900-600
HT-KM	Pole Pruner	20-9	42-19	60-30	78-36	170-75	250-110	310-140
KB-KM	Bristle Brush	15-12	31-25	45-35	57-46	125-90	180-140	230-180
KW-KM	STIHL PowerSweep™	15-12	31-25	45-35	57-46	125-90	180-140	230-180

Note: The battery working times per charge are estimates and may vary depending on usage and application.



AP AND AR SERIES BATTERIES

Battery Charging Times - Minutes (80%/100% capacity)

AL 101 Charger	75/100	150/200	190/250	230/300	-	-	-	-	-
AL 300 Charger	30/45	40/50	45/65	55/70	130/160	190/215	220/265	210/270	310/400
AL 500 Charger	30/45	30/45	25/35	30/45	90/120	100/130	120/160	110/150	170/220

Working Times Per Battery Charge - Minutes¹

MSA 160 C-B	18	42	50	62	125	180	230	196	300
MSA 200 C-B	18	42	45	56	110	160	200	174	261
NEW! MSA 161 T	18	42	50	62	125	180	230	196	300
NEW! MSA 220 C-B	-	42	45	48	110	160	200	201	281
HTA 65	18	42	55	68	125	180	230	196	300
HTA 85	18	42	55	68	125	180	230	196	300
KMA 130 R ² (FS-KM line)	16-7	30-14	38-18	47-22	105-50	154-73	193-82	167-80	250-120
FSA 85	18	36	45	56	120	180	220	196	287
FSA 90 R (nylon head)	12	24	30	37	80	120	150	130	196
FSA 130 R ² (nylon head)	16-7	30-14	38-18	47-22	100-70	150-100	190-125	160-105	240-160
HSA 66	72	144	180	223	450	660	800	717	1,043
HSA 94 R ²	54-42	108-84	135-105	167-130	380-320	550-450	700-570	550-480	900-740
HSA 94 T ²	54-42	108-84	135-105	167-130	380-320	550-450	700-570	550-480	900-740
HLA 65	72	144	180	223	450	660	800	717	1,043
HLA 85	72	144	180	223	450	660	800	717	1,043
BGA 85	10	19	24	30	65	90	115	98	150
BGA 100 ¹	32-8	66-12	83-16	103-20	225-45	300-60	395-75	320-65	510-95
NEW! BGA 200 ³	24-6	49-7	78-12	95-14	212-32	295-43	376-60	354-53	536-85
TSA 230	7	14	18	22	-	-	-	-	-

Working Times Per Battery Charge - Sq. Ft.¹

RMA 510	-	-	5,100	-	-	-	-	-	-
NEW! RMA 510 V	-	-	2,562	3,078	-	-	-	-	-

Note: Battery/tool combinations providing the best balance, adequate run-time and performance are shown in bold.

¹ The battery working time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.

² Level 1 - Level 3

³ Level 1 - Boost

WARNING: If using an AR series battery or AP series battery in a battery bag with connecting cord, always use a lift bucket for in-tree surgery and maintenance. Do NOT climb in the tree.

YOU WATCH. iMOW.[®]

— THE iMOW[®] ROBOTIC MOWER.

Finally, the automation you've been waiting for:
**iMOW[®] ROBOTIC LAWN MOWERS
FROM STIHL.**

With the STIHL iMOW[®], enjoy your lawn without doing any of the work! This smart mower with high-performance STIHL battery technology will quietly and efficiently mow your lawn for you and has automated and customizable features, such as intelligent hood sensor, flexible programming, automatic charging and more.



NEW
RMI 422 P | RMI 422 PC-L



NEW
RMI 632 P | RMI 632 PC-L

iMOW[®]

RMI 422 SERIES

FOR SMALL LAWNS UP TO 1/4 ACRE.


Perfect for small lawns, around pools and even yards with hilly terrain, this fast, maneuverable RMI 422 series covers every last corner of your lawn. Its compact dimensions are well suited to easily navigate your yard.



 LTE version available using the STIHL iMOW[®] app.

RMI 632 SERIES

FOR LARGE YARDS UP TO ONE ACRE.

With a more powerful battery and 11-inch cutting width, the RMI 632 series handles larger lawns with ease. Mows up to 150 minutes on a single charge and includes a removable control panel for easy access and programming without needing to bend down to reach the controls.

 LTE version available using the STIHL iMOW[®] app.

iMOW [®] Working Ranges (Area and Time)	MAX AREA	WEEKLY MOWING TIME
RMI 422 P	.37 acre	25 hours
RMI 422 PC-L 	.42 acre	28 hours
RMI 632 P	1.0 acre	40 hours
RMI 632 PC-L 	1.24 acre	50 hours

Note: Specifications are under ideal conditions, based on the specific maximum lawn area.

ADDITIONAL iMOW® ADVANTAGES



MORE INTELLIGENCE – A MOWER THAT THINKS

iMOW® has a mowing plan tailored to your yard. It's fast and easy to use for a great looking lawn.



MOWS EVENLY ACROSS ALL AREAS

iMOW® can be programmed to mow a variety of yard layouts (like a front or back yard).



A BEAUTIFUL LAWN IN EVERY WAY

iMOW® has an edge mowing option to get a clean cut along the edges of your mowing area.



MAXIMUM FLEXIBILITY DURING CHARGING AND MOWING

To cover a large area in a short time, iMOW® can recharge faster and adjust its speed to suit the mowing conditions.



QUIET

iMOW® mows so quietly, your neighbors will hardly notice it's there. Plus, iMOW® emits no exhaust emissions while working.



ALLERGY RELIEF

iMOW® doesn't kick up dust and dirt like a traditional mower which helps provide relief for people with allergies.

YOUR STIHL iMOW® DEALER PERFORMS THE INSTALLATION.

No one knows your iMOW® better than an authorized STIHL iMOW® robotic lawn mower Dealer. Only they can give you the personal advice and professional installation you need, right from the start. From installation to maintenance, repairs and annual service, your STIHL iMOW® Dealer is your main resource for all your robotic mower needs.



STEP 1:

Your STIHL iMOW® Dealer makes a layout of the area to be mowed according to your instructions.

Available in select markets only.



STEP 2:

Your STIHL iMOW® Dealer lays the perimeter wire...



STEP 3:

...and puts the docking station in position.



STEP 4:

Your STIHL iMOW® Dealer reviews the programming and sets the mowing plan with you to make any necessary adjustments.





CORDED- ELECTRIC PRODUCTS

STIHL corded-electric products combine performance and convenience – all in an environmentally conscious package. Both homeowners and professionals appreciate their smooth, quiet operation, instant starting and lightweight design.



MSE 141
CHAIN SAW



MSE 170 C-B
CHAIN SAW



MSE 210 C-B
CHAIN SAW



MSE 250
CHAIN SAW





FSE 60
TRIMMER



HSE 52
HEDGE TRIMMER



HSE 70
HEDGE TRIMMER



The STIHL Inc. "Caring for Nature" seal identifies its powered products and oils that are more environmentally conscious. For powered products, the seal signifies that they produce zero- or low-exhaust emissions. STIHL Inc. defines "low-exhaust emissions" as being cleaner than EPA and/or CARB exhaust emission standards. For oils, the seal means that the oils are biodegradable, degrading by 80 percent or more within 21 days.



BGE 61

“Lightweight and very versatile for a lot more than just leaves. When we cut our downed limbs up on our driveway, we use our blower to clear off the shavings and really small twigs. Saves sweeping! Love it!”

User: Andie99, Kansas

Check out this review and others on the product pages at STIHLUSA.COM.



RE 90
PRESSURE WASHER



BGE 61
BLOWER



BGE 71
BLOWER





SE 62
WET/DRY VACUUM



SE 122
WET/DRY VACUUM





CHAIN SAWS

FALLEN LIMBS, PRUNING & LIGHTER CUTTING

If you're looking to choose a chain saw for work around your home, STIHL has you covered. Legendary performance in an easy-to-use package, and built for all your fallen limbs, pruning and lighter cutting tasks.



MSA 120 C-B

The AK Series MSA 120 C-B is the go-to chain saw for storm cleanup or limb removal around the suburban yard.



MSA 140 C-B

The most powerful chain saw in the AK Series, the MSA 140 C-B delivers excellent cutting performance for up to 45 minutes with the AK 30 battery.*



MSE 141

The MSE 141 is our lightest, most affordable corded-electric chain saw with excellent cutting performance for occasional users.



MSE 170 C-B

The durable MSE 170 C-B features a coast-down brake and delivers all the power needed for tasks around the yard.



*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.

For full specification information for all STIHL chain saws, please refer to page 42.
NOTE: STIHL recommends the use of green-labeled bars and saw chains. See your STIHL Dealer for details.



MSA 160 C-B

Powered by a STIHL Lithium-Ion battery, the MSA 160 C-B workhorse starts instantly, delivering 36-volts of power from its commercial-grade, high-torque brushless motor.



MSA 200 C-B

Part of the AP Series, the lightweight and quiet MSA 200 C-B delivers the cutting power of gasoline with up to 45 minutes with the AP 300 battery.*



MSE 210 C-B

The high-performance MSE 210 C-B corded-electric chain saw delivers the power needed for projects, such as woodworking and firewood cutting, without fuel costs and engine maintenance.



NEW MSA 220 C-B

The most powerful battery-powered chain saw in the STIHL line, the MSA 220 C-B delivers the speed, cutting capacity and run time to take on just about any cutting task with ease.



MSE 250

The MSE 250 offers professional-grade cutting power – ideal for experienced professionals, including builders and contractors because it's strong enough to handle tough cutting jobs and firewood cutting.



STORM CLEANUP, FIREWOOD CUTTING & LARGER JOBS

No matter where there's work to be done, the proven dependability of a STIHL is on the job. We offer a variety of high-performance chain saws engineered for service, day in and day out.



PROFESSIONAL ARBORISTS

The STIHL battery-powered in-tree chain saw is ideal for professional arborists looking for lightweight, quiet performance for in-tree work.



NEW

MSA 161 T

Powered by a STIHL Lithium-ion battery, the MSA 161 T is lightweight and compact, making it easy to use and maneuver in trees, reducing operator fatigue.



For full specification information for all STIHL chain saws, please refer to page 42.
NOTE: STIHL recommends the use of green-labeled bars and saw chains.
 See your STIHL Dealer for details.

GET TO KNOW YOUR TOOLS LIKE NEVER BEFORE.

NEW STIHL connected

Find more information at:
STIHLUSA.COM/STIHLCONNECT



WHAT IT IS:

A new technology that connects customers with their STIHL products using a Bluetooth® device and an extensive online portal.

HOW IT WORKS:

The Smart Connector attaches to your tools and records operational details that are sent to your smartphone or tablet via Bluetooth®.

HOW YOU'LL BENEFIT:

Through the STIHL app, professionals, fleet managers and private customers will have access to current tool usage data that will allow for planned maintenance schedules and make more efficient use of the tools in your fleet.

WHO CAN USE IT:

Professionals, fleet users, private customers and dealers will all find benefits while using STIHL connected.

THE THREE CENTRAL SYSTEM COMPONENTS



The Smart Connector

The Smart Connector is easy to attach to your tool. It records the periods of operation and sends that information to your smartphone or tablet via Bluetooth®.



The STIHL connected App

The free STIHL app provides a user-friendly summary of all the useful information about your tools. You can use the app to access your STIHL connected data.



STIHL connect pro portal

The web-based STIHL connect pro portal offers an overview of your entire fleet. It can show you where a product was most recently in use while at the same time providing a maintenance schedule to ensure optimal tool performance.

GUIDE BARS & SAW CHAINS

High-quality guide bars and saw chains for your battery-powered and corded-electric chain saws.



STIHL ROLLOMATIC® E STANDARD

A lightweight general-grade laminated guide bar made of high-grade steel and three electrically welded metal plates.



STIHL ROLLOMATIC® E MINI


A unique design provides maneuverability for pruning branches with reduced-kickback tendency. Developed for use with small displacement chain saws and pole pruners using the 1/4" STIHL PICCO™ saw chain.



OILOMATIC® STIHL RAPID™ SUPER 3 (RS3)

The PMM3 is a unique saw chain with low vibration, designed for corded-electric, battery- and gasoline-powered chain saws or pole pruners with less than 1.5 kW (2.0 bhp) of power output.

	1/4"	3/8" PICCO	.325"	3/8"	.404"
0.043"		3610			



● Low-Kickback Chain

NOTE: The actual listed guide bar length can vary from the effective cutting length based on which chain saw it is installed on.


HOW TO READ THIS CHART		PITCH PITCH	
STIHL saw chain is available in a variety of pitches and gauges. Use the charts to identify the correct chain part number of the chain.		GAUGE	PART # PART #



OILOMATIC® STIHL PICCO™ MICRO™ 3 (PM3)

The PM3 chain replaces the 3/8" PM1. It cuts faster and smoother and has a lower kickback tendency than the 3/8" PM1.

	1/4" PICCO	3/8" PICCO	.325"	3/8"	.404"
0.043"	3670				
0.050"		3636			



● Low-Kickback Chain



OILOMATIC® STIHL PICCO™ SUPER 3 (PS3)

The PS3 is a low-kickback and low-vibration saw chain with improved cutting and boring efficiency, less feed force and 15% longer cutting life as compared to the PM3.

	1/4" PICCO	3/8" PICCO	.325"	3/8"	.404"
0.050"		3616			




● Low-Kickback Chain



OILOMATIC® STIHL RAPID™ MICRO™ 3 (RM3)

The RM3 is the reduced-kickback tendency version of the RM. It retains similar performance features of the RM saw chain.

	1/4" PICCO	3/8" PICCO	.325"	3/8"	.404"
0.050"			3695	3662	
0.058"			3688		
0.063"			3689	3664	




● Low-Kickback Chain



OILOMATIC® STIHL RAPID™ SUPER 3 (RS3)

RS3 is an aggressive full-chisel chain but has a single-humped drive link to reduce kickback tendency, and the new cutter and tie strap design reduces vibration levels when cutting.

	1/4" PICCO	3/8" PICCO	.325"	3/8"	.404"
0.050"			3694	3624	
0.063"				3636	




● Low-Kickback Chain



CHAIN SAW ACCESSORIES, BAR & CHAIN OIL

Bar & chain oil to keep your chain saw running smoothly, and filing tools to sharpen your saw chain for fast cutting.



WOODSMAN CHAIN SAW CARRYING CASE

Fits MS 170 to MS 462 with 20" bar.
(Excludes wrap-handle saws.)



SOFT-GRIP HANDLE FOR FLAT FILE

(FH3 SOFT GRIP)




SOFT-GRIP HANDLE FOR ROUND FILE

(FH1 SOFT GRIP)



2-IN-1 FILING GUIDE



DOUBLE-CUT SAW CHAIN FILES

FLAT, ROUND & SQUARE GROUND FILES



BIOPLUS™ BAR AND CHAIN OIL

STIHL BioPlus™ Bar and Chain Oil is made with a vegetable oil base, making it less harmful to humans, animals, micro-organisms and plants. Rated by the Coordinating European Council to be 93.8% biodegradable in only 21 days.



PLATINUM BAR AND CHAIN OIL

STIHL Platinum Bar and Chain Oil is formulated to adhere to the bar and chain, and to reduce wear. Special base oil formulation helps keep sap and pitch from clinging to the bar and chain.



WOODCUTTER BAR AND CHAIN OIL


STIHL Woodcutter Bar and Chain Oil is affordably priced and specially formulated from base oils and additives to provide proper lubrication of chain saw guide bars, saw chains and oil pumps.



TRIMMERS

WEEKLY USE AROUND BEDS, DRIVEWAYS, ETC.

Our trimmers are lightweight, powerful and easy to use. Just start them up and watch as they make quick work of those hard-to-reach areas mowers leave behind.



FSA 45

The FSA 45 delivers STIHL quality at a value price, and features a powerhead that swivels for vertical edging.



NEW FSA 57

Ideal for suburban yards, the lightweight FSA 57 packages the convenience of battery in a value-priced set, with a run time of up to 20 minutes with the AK 10 battery.*




FSE 60

With an easy squeeze of the trigger, the FSE 60 lightweight corded-electric trimmer is capable of handling small to moderate yard work.




*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.



FSA 85

The FSA 85 delivers professional performance, with zero-exhaust emissions and low noise; ideal for jobs in noise-restricted areas.



FSA 90 R

A quiet, battery-powered trimmer, the FSA 90 R features the STIHL exclusive ECOSPEED throttle set wheel for variable speed control, which can extend the battery life.



FSA 130 R

The most powerful battery-powered trimmer in the STIHL line, the FSA 130 R offers the same durability and cutting attachments as gasoline-powered trimmers.



LARGER YARDS & LONGER FENCE LINES

Our trimmers are available in a wide range of handle variations, including various shaft lengths and loop handle configurations. Whether you're tackling your larger yard or longer fence lines, there's a trimmer to meet your unique needs.



HEDGE TRIMMERS

SEASONAL TRIMMING & SMALLER SHRUBS

Our hedge trimmers are lightweight, easy to use and designed to make quick work of overgrown shrubs and bushes.



NEW GTA 26

The innovative and versatile GTA 26 battery-powered garden pruner features a 4" guide bar to prune small diameter branches and timber.



HSA 25

The first STIHL battery-powered garden shears, the HSA 25 comes standard with grass and shrub shears to meet precise trimming needs, and provides up to 110 minutes of run time.*



HSA 45

Part of the AI Series, the HSA 45 delivers high cutting speeds in a compact, ergonomic design, and provides up to 40 minutes of run time.*



HSE 52

Lightweight, yet durable, the HSE 52 corded-electric hedge trimmer features a 20" double-sided blade that cuts in both directions and a D-shaped handle for easy cutting at various positions.



HSA 56

Part of the AK Series, the HSA 56 delivers a high cutting speed of 2,800 strokes per minute and a run time up to 40 minutes.*





HSA 66

Part of the AP Series, the HSA 66 runs on the same universal battery as other AP products and features optimized blade geometry and diamond-ground blades for clean cuts.



HSE 70

Made for clean, quiet cutting, the HSE 70 corded-electric hedge trimmer is lightweight and easy to maneuver and features a long 24" blade to make fast work of larger shrubs.



HSA 94

Built with the professional in mind, the HSA 94, available in a pruning (R) and trimming (T) version, features a 24" blade and no onboard battery, shifting the battery weight to the back or hip.



NUMEROUS HEDGES & SHRUBS, EXTENDED OPERATING TIMES

Our well-balanced hedge trimmers feature anti-vibration technology, delivering the cutting power needed to leave behind uniformed and professionally groomed hedges and shrubs.

*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.

For full specification information for all STIHL hedge trimmers, please refer to page 42.



NEW
HLA 56

The battery-powered HLA 56 is perfect for tackling occasional trimming and shaping of hard-to-reach hedges and shrubs, while its quiet operation allows for use in noise-sensitive areas.



EXTENDED-REACH HEDGE TRIMMERS




HLA 65

Part of the AP Series, the HLA 65 features six different locking positions, giving professionals a 105° operating range, while a 20" blade provides an efficient working length for most applications.



Our battery-powered extended-reach hedge trimmers with articulating blade options are ideal for extra tall and wide shrubs.



HLA 85

Part of the AP Series, the HLA 85 features the same benefits as the HLA 65, plus a telescoping shaft that extends from 8.5' to 10.5' for cutting the tops of hedges.



For full specification information for all STIHL hedge trimmers and pole pruners, please refer to page 42.


POLE PRUNERS

Smooth, precise cutting that makes quick work of tall branches.



HTA 65

The battery-powered HTA 65 fixed-length pole pruner is a low-maintenance and environmentally responsible option for professionals and homeowners.



HTA 85

Part of the AP Series, the HTA 85 pole pruner has all the same features as the HTA 65, but telescopes up to 12 feet for those tall tree-trimming tasks.





BLOWERS

WEEKLY USE AROUND BEDS & DRIVEWAYS

We designed our blowers for quick and easy yard cleanup. Our lightweight blowers are a breeze to use and can power through cluttered yards and walkways without hesitation.



BGA 45

Part of the AI Series, the battery-powered BGA 45 delivers the power urban homeowners need at an incredible value.



NEW

BGA 57

Part of the AK Series, the BGA 57 blower delivers powerful STIHL performance combined with great control and comfortable operation.



BGE 61

Quiet and easy-to-use, the BGE 61 is part of a generation of lightweight, powerful corded-electric leaf blowers.



BGE 71

The BGE 71 is a versatile, two-speed corded-electric blower for high or low speed and noise control.





BGA 85

The battery-powered BGA 85 is part of the AP Series and combines excellent blowing power that is quiet, clean and lightweight.



BGA 100

Part of the AP Series, the BGA 100 features four performance levels through a variable speed throttle trigger, delivering an even balance of blowing power and run time.



NEW BGA 200

High performance in a battery package, the BGA 200 is the most powerful battery-powered blower in the STIHL range.



LARGER AREAS & NUMEROUS TREES

Our hardworking handheld blowers deliver power, comfort, durability and no-fuss ease of use to tackle larger yards and jobs.

PRESSURE WASHER

Pressure washer designed for convenience to make jobs easier and impeccable.



RE 90

The easy-to-use RE 90 delivers 1,800 psi of water pressure, providing plenty of power for occasional use around the home, and comes standard with multiple nozzles for versatile cleaning applications.



AVAILABLE ACCESSORIES



23 FT. HOSE EXTENSION



CURVED SPRAY LANCE



SPRAY LANCE EXTENSION



ROTARY WASHING BRUSH



FOAM NOZZLE



HOSE CASSETTE WITH ADAPTER

Part Number

RE SERIES ACCESSORIES	
23 ft. Hose Extension	4950 500 0801
Curved Spray Lance	4910 500 1900
Spray Lance Extension	4910 500 0900
Rotary Washing Brush	4910 500 5900
Foam Nozzle	4910 500 9600
Hose Cassette w/Adapter	4910 500 8601
Rotary Surface Cleaner	4910 500 3901
Vehicle Cleaning Kit	4910 500 6100
All-Purpose Cleaner	7100 871 0274
Deck and House Wash	7100 871 0275
Heavy-Duty Degreaser	7100 871 0276

Note: RB and RE accessories are not interchangeable.

For full specification information for the RE 90, please refer to page 43.



ROTARY SURFACE CLEANER



VEHICLE CLEANING KIT

SPRAYERS & WET/DRY VACUUMS

Landscaping sprayers designed for liquid dispersants. Our wet/dry vacuums have what you need to make your cleanups faster, quieter and cleaner than ever.



SG 11

The versatile SG 11 is great for the garden or farm and features a translucent tank for managing liquid levels.



SG 20

The 18-liter SG 20 maintains constant working pressure and is comfortable and lightweight, helping professionals get through the day with less fatigue.



SG 31

The easy-to-use SG 31 is powerful, easily portable and equipped with a 5-liter tank to tackle user's spraying tasks.



SE 62

The rugged and quiet SE 62 is perfect for use around the home or workshop, and can be converted to a blower for additional cleaning tasks.



SE 122

The professional SE 122 can tackle the toughest jobs with its universal wet/dry suction head and foot-activated depth control.



THE STIHL KOMBI SYSTEM

Divide and conquer. One powerhead,
multiple attachments.



KMA 130 R

The KMA 130 R features a commercial-grade brushless motor for optimal performance and durability for a virtually maintenance-free service life.



HL-KM 0°
STRAIGHT HEDGE
TRIMMER ATTACHMENT



BF-KM
MINI-CULTIVATOR
ATTACHMENT



HT-KM
POLE PRUNER
ATTACHMENT



HL-KM 145°
ADJUSTABLE HEDGE
TRIMMER ATTACHMENT



FS-KM
BRUSHCUTTER WITH
4-TOOTH GRASS BLADE
ATTACHMENT



KW-KM
STIHL PowerSweep™
ATTACHMENT



KB-KM
BRISTLE BRUSH
ATTACHMENT



FH-KM 145°
ADJUSTABLE POWER
SCYTHE ATTACHMENT



FCB-KM
CURVED LAWN EDGER
ATTACHMENT



BG-KM
BLOWER
ATTACHMENT



FS-KM
LINE HEAD TRIMMER
ATTACHMENT



NEW
RG-KM
RECIPROCATOR



FCS-KM
STRAIGHT LAWN
EDGER ATTACHMENT



FBD-KM
BED REDEFINER
ATTACHMENT



HT-KM
SHAFT
EXTENSION



HT/HL-KM CFK
SHAFT EXTENSION



9" Wheel

TSA 230 STIHL Cutquik®

Lightweight and easy to start, the TSA 230 is the world's first battery-powered cut-off machine, great for cutting brick, tile and metal at indoor job sites.



PRESSURIZED WATER TANK

Provides water flow for wet cutting when pressurized hose is not available.



D-B CONCRETE WHEELS

- Available in three grades
- Available in 9" (7/8" arbor)



D-X HARD STONE/ CONCRETE WHEELS

- Available in 9" (7/8" arbor)
- Features diamonds precisely aligned in the bond matrix for fast cutting speed and longer life.



K-ME METAL

- 9" wheel with 7/8" arbor (TSA 230 only)
- 6,650 max RPM

IMPORTANT INFORMATION

WARNING: Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using these products.

For full specification information for all the TSA 230 STIHL Cutquik®, please refer to page 43.

STIHL Cutquik® CUT-OFF MACHINE

Construction job site solution from the number one selling brand of cut-off machine worldwide.



YOU WATCH. iMOW®

Automated lawn mowers that mow your lawn for you.



RMI 422 P

The compact RMI 422 P is ideal for lawns up to 0.37 acres by providing convenient, hassle-free lawn care.



RMI 632 P

The RMI 632 P features both a wider deck and a more powerful battery than the RMI 422 series, and can automatically mow up to one acre.



NEW RMI 422 PC-L

The compact RMI 422 PC-L is ideal for lawns up to 0.42 acres by providing convenient, hassle-free lawn care.

Now with LTE connectivity.



NEW RMI 632 PC-L

The RMI 632 PC-L features both a wider deck and a more powerful battery than the RMI 422 series, and can automatically mow up to 1.25 acres. Now with LTE connectivity.





LAWN MOWERS

Battery-powered lawn mowers designed to cut your grass – and your carbon emissions – down to size.



RMA 460

Part of the AK Series, the RMA 460 walk-behind lawn mower features a 19" deck and 15.85-gallon grass catcher making it a great option for small yards.



RMA 510

The RMA 510 walk-behind lawn mower is part of the AP Series and features a 21" deck, giving homeowners the performance of a gasoline-powered mower.



NEW RMA 460 V











The RMA 460 V is ideal for small, suburban yards providing users with the ease and convenience of self propulsion.



NEW RMA 510 V







The RMA 510 V provides all the features and benefits of the RMA 510 with the added benefit of self propulsion.














	Power Source Type	Voltage (V)	Weight* (lbs.)	Guide Bar Lengths (in.) – Recommended**	Saw Chain Pitch	STIHL OILOMATIC® Saw Chain Type
CHAIN SAWS						
MSA 120 C-B		36	5.5	10 - 12	1/4" P	PM3
MSA 140 C-B		36	5.7	12	1/4" P	PM3
MSE 141		120	6.38	12	3/8" P	PM3
MSE 170 C-B		120	8.4	12 - 16	3/8" P	PM3
MSA 160 C-B		36	6.0	10 - 12	1/4" P	PM3
MSA 200 C-B		36	6.4	10 - 14	1/4" P	PM3
MSE 210 C-B		120	9.4	12 - 16	3/8" P	PM3
NEW! MSA 220 C-B		36	6.4	14 - 16	3/8" P	PS3
MSE 250		120	9.4	16 - 20	3/8"	RS3 or RM3
NEW! MSA 161 T¹		36	4.6	12	1/4" P	PM3

*Dry weight and powerhead only. **The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



¹ For in-tree professional use only!

	Power Source Type	Voltage (V)	Weight* (lbs.)	Standard Cutting Tool	Cutting Swath (in.)
TRIMMERS					
FSA 45		18	5.1	STIHL PolyCut®	9
FSE 60		120	8.8	AutoCut®	14
NEW! FSA 57		36	5.7	AutoCut®	11
FSA 85		36	6.2	AutoCut®	14
FSA 90 R		36	6.2	AutoCut®	15
FSA 130 R		36	8.6	AutoCut®	16.5



*Dry weight without cutting attachment or deflector.

	Power Source Type	Voltage (V)	Weight* (lbs.)	Blade Length (cm/in.)	Blade Type Single/Double Sided	Strokes per Minute
HEDGE TRIMMERS						
HSA 25		12	1.3	Shrub: 20/79 Grass: 12/4.7	Double	2,000
HSA 45		18	5.1	50/20	Double	2,500
HSE 52		120	6.8	50/20	Double	3,400
HSA 56		36	6.4	45/18	Double	2,800
HSA 66		36	6.8	50/20	Double	3,000
HSE 70		120	9.3	61/24	Double	3,200
HSA 94 R		36	9.0	60/24	Double	2,800/3,000/ 3,200
HSA 94 T		36	8.6	60/24	Double	4,400/4,700/ 5,000
NEW! HLA 56		36	8.4	45/18	Double	2,800
HLA 65		36	7.5	50/20	Double	3,000
HLA 85		36	8.8	50/20	Double	3,000








*Dry weight.

	Power Source Type	Voltage (V)	Weight* (lbs.)	Guide Bar Lengths (in.) – Recommended**	Saw Chain Pitch	STIHL OILOMATIC® Saw Chain Type
POLE PRUNERS						
HTA 65		36	8.4	10 or 12	1/4" P	PM3
HTA 85		36	10.8	10 or 12	1/4" P	PM3

*Dry weight and powerhead only. **The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.





	Power Source Type	Voltage (V)	Motor Output (kW/amps)	Weight* (lbs.)	Suction (mbar/in H ₂ O)	Air flow (L/min / cfm)
WET/DRY VACUUMS						
SE 62		120	1.0/8.3	16.5	210/84	3,200/113
SE 122		120	1.0/8.3	22.0	230/91	3,200/113

*Dry weight.

	Power Source Type	Voltage (V)	Weight* (lbs.)	Sound Pressure Level—dB(A)	Avg. Air Velocity (mph)	Max. Air Velocity (mph)	Blowing Force Newtons**
HANDHELD BLOWERS							
BGA 45		18	4.4	60	85	98	5
NEW! BGA 57		36	5.1	64	103	123	9
BGE 61		120	6.8	64	130	148	9
BGE 71		120	6.8	58/64	L:105/H:130	L:119/H:148	L:6/H:9
BGA 85		36	7.1	64	104	125	10
BGA 100		36	5.5	56 ¹	141 ²	168 ²	17 ²
NEW! BGA 200		36	6.8	59	150	188	21


L = Low H = High *Dry weight. **Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².

¹Measurement in Stage 1 mode. ²Measurements in Boost mode.


	Power Source Type	Voltage (V)	Weight* (lbs.)	Deck Width (in.)	Cutting Width (in.)	Cutting Height Range (in.)
BATTERY-POWERED LAWN MOWERS						
RMA 460		36	55.1	19.0	18.1	1.4 - 3.9
NEW! RMA 460 V		36	61.7	19.0	18.1	1.0 - 3.9
RMA 510		36	59.5	21.0	20.0	1.4 - 3.5
NEW! RMA 510 V		36	63.9	21.0	20.0	1.0 - 3.9

*Weight is with bag, without mulch insert and side discharge chute.


	Voltage (V)	Weight* (lbs.)	Max. Mowing Area (Acres)	Weekly Mowing Duration (Hours)	Max. Slope (Degrees)	Cutting Height Range (in.)
ROBOTIC LAWN MOWERS						
RMI 422 P	18.5	19.8	0.37	25	22°	.79 - 2.4
RMI 422 PC-L (LTE VERSION)	18.5	19.8	0.42	28	22°	.79 - 2.4
RMI 632 P	29	28.6	1.0	40	24°	.79 - 2.4
RMI 632 PC-L (LTE VERSION)	29	28.6	1.24	50	24°	.79 - 2.4

	Power Source Type	Voltage (V)	Weight* (lbs.)	Arbor Size (in.)	Max. Wheel Size (in.)	Max. Cutting Depth (in.)
STIHL Cutquik® CUT-OFF MACHINE						
TSA 230		36	8.6	0.875	9.0	2.75

*Dry weight and includes water attachment and guard.

	Power Source Type	Voltage (V)	Weight* (lbs.)	# of Optional Attachments	Loop Handle	Multi-Function Control Handle
KM SERIES KOMBIMOTOR						
KMA 130 R		36	7.1	13	Yes	Yes

*Dry weight and powerhead only.

	Power Source Type	Weight* (lbs.)	Water Pressure (psi)	Water Flow (gpm)	Cleaning Units	Pump Piston Type
PRESSURE WASHER						
RE 90		23.4	1,800	1.2	2,160	Stainless Steel

*Dry weight.

Note: Specifications are as of Oct. 1, 2019. For most recent updates, visit STIHLUSA.COM. Models and specifications are subject to change without notice. Manufacturer reserves the right to change appearance, function and components of any STIHL product without prior notice or liability.



Head / Blade Type	Part Number	Trimmer Line Diameter		FSA 45	FSA 56	FSE 60*	FSA 45* FSA 98*	FSA 90 R
		Standard	Optional					
LIGHT GRASS TRIMMER HEADS								
AUTOCUT® 2-2	4008 710 2103	.080"	—		●			
AUTOCUT® C 4-2	4006 710 2123	.080"	—				●	
AUTOCUT® 5-2	4006 710 2103	.080"	—			●		
AUTOCUT® C 5-2 (DISC.)	4006 710 2106	.080"	—			●		
AUTOCUT® C 6-2	4006 710 2126	.080"	.095"			●		
DUROCUT 20-2	4002 710 2182	.120"	.080"/.095"/.105"			●		●
FIXCUT™ 30-2 (DISC.)	4001 710 2103	—	.080"/.095"/.105"					●
FIXCUT™ 31-2	4001 710 2105	—	.080"/.095"/.105"					●
STIHL SUPERCUT™ 20-2	4002 710 2184	.095"	—					●
HEAVY GRASS MOWING HEADS & BLADES								
STIHL POLYCUT™ 2-2	4008 710 2102	—	—	●				
STIHL POLYCUT™ 20-3 (DISC.)	4002 710 2189	—	—					●

* Trimmers equipped with loop handles. For models that are/were available with optional handles, "R" denotes loop-handle version.


● Approved for use with designated unit as originally equipped.

Note: Barrier bar and large deflector must be attached when using a metal blade with loop-handle (R) trimmer.

Note: Specifications are as of Oct. 1, 2019. For most recent updates, visit STIHLUSA.COM.

IMPORTANT INFORMATION

WARNING: Improper use of any brushcutter trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of injury from blade contact, circular saw blades may be used on FS brushcutters that have a bicycle handle and double shoulder harness and not on FS brushcutters that have a "J" handle or loop handle (R). Other rigid blades may be used on FS brushcutters having a bicycle handle, a "J" handle, or a loop handle equipped with a barrier bar. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.



STIHL Quiet Line™

Spiral grooves greatly reduce wind noise.

COLOR-CODED/ NYLON LINE

The thickness of the nylon line varies, depending on the performance class and operating conditions. Nylon lines are color-coded to easily define the diameter of the cutting line to include: premium round, Quiet Line™ and pentagon nylon lines.

- .065" (1.6 mm) dia.
- .080" (2.0 mm) dia.
- .095" (2.4 mm) dia.
- .105" (2.7 mm) dia.
- .118" (3.0 mm) dia.
- .130" (3.3 mm) dia.
- .105" (2.7 mm) dia.
- .118" (3.0 mm) dia.
- .130" (3.3 mm) dia.
- Commercial Round Line
- Commercial Square Line
- CF3-Line
- ✕ X-Line

Line Type	Color/ Diameter	22' - 65' Spools	1/2 lb.* Spool	1 lb.* Spool	3 lb.* Spool	5 lb.* Spool
Premium Round Line	● .065	●				
	● .080	●	●	●	●	
	● .095	●	●	●	●	●
	● .105	●	●	●	●	●
	● .118			●		
	● .130	●	●	●	●	●
	● .155			●	●	
Quiet Line™	● .065	●				
	● .080	●	●			
	● .095	●	●	●	●	
	● .105	●		●		
	● .155			●		
Commercial Round Line	● .095			●	●	●
	● .105			●	●	●
Premium Square Line	■ .095		●	●		
	■ .105		●	●		
	■ .118			●		
	■ .130			●		
Commercial Square Line	■ .095				●	●
	■ .105				●	●
Pentagon Line	◆ .095		●	●	●	●
	◆ .105		●	●	●	●
	◆ .118			●		
	◆ .130		●	●	●	●
X-Line	✕ .095			●	●	●
	✕ .105			●	●	●
DuroCut Serrated Line	⊕ .080	Packed 48 pieces per tube.				
	⊕ .120	Packed 48 pieces per tube.				
	⊕ .155	Packed 48 pieces per tube.				
CF3 Pro	■ .080		●	●		
	■ .095		●	●	●	●
	■ .105		●	●	●	●
	■ .118		●	●	●	●
	■ .130			●	●	●

*Approximate weight

HAND TOOLS

PRUNING SAWS, POLE PRUNERS & SAWS



PS 10

FOLDING SAW

Portable pruning saw features a 6" chrome-plated blade to cut branches up to 2" in diameter.



PS 30

FOLDING SAW

A curved 7" tapered ground blade provides precision cutting for branches 2" in diameter.



PP 10

HAND PRUNER

A lightweight, dependable hand pruner designed to tackle most pruning jobs.



PP 40

HAND PRUNER

Ideal for thicker twigs and stems, featuring a longer, wider blade that resists sap and can be re-sharpened.



Other Styles Available.

For a complete listing of Personal Protective Apparel and Accessories, please visit STIHLUSA.COM.

Lopper

PS 75

PS 80

NOTE: Saw heads and lopper attachments are sold separately

PP 600

TELESCOPING POLE

Lightweight and can be fitted with a lopper or saw head to reach 10' above the ground.



PL 5 LOPPER

Strong, lightweight lopper with tubular steel handles and contoured grips for comfortable use.



PL 10 LOPPER

Light and portable 24" lopper with a specially curved cutting head for vines and branches up to 1.25".



PL 40 LOPPER

Large, 32" aircraft aluminum handles provide pruning leverage to higher tree branches.

Other Styles Available. For a complete listing of Personal Protective Apparel and Accessories, please visit STIHLUSA.COM.



FUNCTION APRON CHAPS

Protective, open chaps made from rugged, 400-denier nylon.



DYNAMIC PROTECTIVE PANTS

Pants feature nylon/spandex outer shell for stretch and durability.



PRO MARK™ CUT-RETARDANT SHIRT

Made of high-visibility polyester and features a mesh body with vented back to allow better air circulation.



PRO MARK™ DYNAMIC GLOVES

Cut-retardant gloves made with Velcro wrist closure, full-grain tanned leather palms and inner fingers provide better grip.

PROTECTIVE APPAREL & ACCESSORIES

Supporting our customers with work wear as diverse as our product line.

ProMark™

Pro Mark™ Protective Apparel is best paired with Professional STIHL units. This line of personal protective apparel is designed for professional users, helping protect against injuries they may face during frequent use.

Dynamic Protective Apparel is designed for paired use with Farm & Ranch STIHL units. This line of PPE is ideal for users focusing on both personal and work-related tasks.

Function Protective Apparel is ideal for paired use with any of your Homeowner STIHL units. While designed for the occasional user, it still meets and beats the standards required for PPE.

WARNING FOR CORDED-ELECTRIC AND BATTERY CHAIN SAW USERS!

The fibers may not stop the sprocket on most corded-electric chain saws and some battery-powered chain saws because of the constant high torque. However, to reduce the severity of injury from accidental contact with the chain, STIHL recommends that leg protection be worn when operating these types of chain saws.

IMPORTANT INFORMATION

All STIHL chain saw protective apparel meets or exceeds OSHA Regulation 1910.266 for Personal Protective Equipment for chain saw operators.

NOTE: Chaps are measured by overall length from the waist down. All chaps have a tough outer shell of oil/water-resistant nylon treated with rain/stain repellent.

IMPORTANT INFORMATION

WARNING: These garments contain pads of cut-retardant material designed to reduce the risk or severity of injury to the body parts covered by the pads in the event of contact with the rotating chain. The fibers in the pads provide extra layers of material and are designed to rip apart when they come into contact with the moving chain and to clog the sprocket and stop the chain. In some contacts, the pads may stop the chain. In other contacts, the pads will resist the cutting process only for a fraction of a second. The actual degree of protection afforded will vary with the speed of the chain and the time of contact, the power and torque of the saw, the design of the chain saw sprocket and similar factors. Follow the washing instructions. Improper care may destroy cut-retardant properties of the material.

HEARING PROTECTION

Other styles available. For a complete listing, visit STIHLUSA.COM.

NOTE: Various Noise Reduction Ratings (NRR) available - 21, 23, 25 and 29. Meets ANSI S3, 1974 standard.



BASIC HEARING PROTECTOR



PRO MARK™ HEARING PROTECTOR



NEW DYNAMIC BT HEARING PROTECTOR

GLOVES

Other styles available. For a complete listing, visit STIHLUSA.COM.



COTTON CANDY GLOVES



STIHL HOMESCAPER SERIES™ GLOVES



GENERAL PURPOSE GLOVES

PROTECTIVE GLASSES

Available in various styles and lens shades. They offer 99% UV protection and meet ANSI standard Z87.1.

Other styles available. For a complete listing, visit STIHLUSA.COM.



PATTERNED FRAME GLASSES



BLACK WORK GLASSES



NEW ADJUSTABLE GOGGLES

PROTECTIVE HEAD GEAR

Other styles available. For a complete listing, visit STIHLUSA.COM.



FUNCTION-BASIC HELMET SYSTEM



PRO MARK™ HELMET SYSTEM









BRUSH SHIELD PROTECTOR


WARRANTIES AND TRADEMARKS

The following trademarks are owned by
ANDREAS STIHL AG & Co. KG,
 Waiblingen: July 16, 2019

STIHL's Registered Trademarks

1. STIHL[®]
2. **STIHL**
3. **SL**
4. The color combination *
 (U.S. Registrations 2,821,860;
 3,010,057; 3,010,058; 3,400,477;
 and 3,400,476)
5. 
6. 
7. 
8. 
9. 
10. AutoCut[®]
11. DIRT BOSS[®]
12. FARM BOSS[®]
13. iCademy[®]
14. iMOW[®]
15. MAGNUM[®]
16. MasterWrench Service[®]
17. MotoMix[®]
18. OILOMATIC[®]
19. ROCK BOSS[®]
20. STIHL Cutquik[®]
21. STIHL DUROMATIC[®]
22. STIHL Quickstop[®]
23. STIHL ROLLOMATIC[®]
24. STIHL WOOD BOSS[®]
25. TIMBERSPORTS[®]
26. WOOD BOSS[®]
27. YARD BOSS[®]

Some of STIHL's Common Law Trademarks

28. 
29. **STIHL**
30. 4-MIX[™]
31. BioPlus[™]
32. Easy2Start[™]
33. EasySpool[™]
34. ElastoStart[™]
35. Ematic[™]
36. FixCut[™]
37. IntelliCarb[™]
38. Master Control Lever[™]
39. Micro[™]
40. On A Single Charge[™]
41. Pro Mark[™]
42. Quiet Line[™]
43. STIHL Moto4[™]
44. STIHL M-Tronic[™]
45. STIHL OUTFITTERS[™]
46. STIHL PICCO[™]
47. STIHL PolyCut[™]
48. STIHL PowerSweep[™]
49. STIHL Precision Series[™]
50. STIHL RAPID[™]
51. STIHL SuperCut[™]
52. TapAction[™]
53. TrimCut[™]

This listing of trademarks is subject to change. Any unauthorized use of these trademarks without the express written consent of Andreas STIHL AG & Co. KG, Waiblingen is strictly prohibited.

STIHL's philosophy is to continually improve all of its products. As a result, engineering changes and improvements are made from time to time. Specifications and photos are as of October 2019, and are subject to change without notice.

STIHL Limited Warranty Time Periods

Current Models	Personal, Family Household Use	Commercial Use
Battery-Powered Tools (Except top-handle chain saws and cut-off machines)	3 years	2 years
Gasoline Chain Saws (Except top-handle chain saws)	1 year	3 months
120 Volt Electric Chain Saws	1 year	3 months
Top-Handle Chain Saws*	–	3 months
Cut-Off Machines, Concrete Cutter*	–	3 months
Pressure Washers	2 years	1 year
Trimmers and Brushcutters, Clearing Saws, Edgers, Blowers and SR Sprayers, Hedge Trimmers, Pole Pruners, KM Series, MM Series and Wet/Dry Vacuums	2 years	2 years
SG Manual Pump Sprayers	1 year	1 year
Gearbox and Interchangeable Attachments	2 years	2 years

*Marketed for commercial use only.

Additional information regarding the STIHL Limited Warranty policy is available at www.STIHLusa.com/warranty.html.



The 2-Year Limited Warranty Coverage

For commercial users on STIHL lawn care equipment and other selected power tools for commercial users, the 2-Year Limited Warranty is in addition to STIHL's industry-leading, extended warranty coverage for the drive-shaft. You can depend on your STIHL equipment to work as hard as you do, and for STIHL to stand behind its equipment. See your STIHL dealer for details.



When you purchase either STIHL HP Ultra Oil (six bottles) or STIHL MotoMix[®] Patented Premixed Fuel (one gallon minimum)

Double limited warranty protection applies to select STIHL gasoline-powered products purchased for personal non-income producing, household purposes only. Other restrictions apply. See dealer for details or refer to STIHL's Limited Warranty Policy at www.STIHLusa.com.

All STIHL products are warranted for 3 months when product is used for rental purposes.

All STIHL model PA axes, PH hedge shears, PL loppers, PP pruners and PS pruning saws are warranted to the original Consumer for as long as the appropriate spare part or product continues to be available from STIHL. Products used for rental use are excluded.

STIHL products sold through U.S. retailers are for distribution in the United States only.



Get the Official STIHL[®] App

Your mobile device is about to get even more powerful. The official STIHL App puts a wide range of STIHL resources at your fingertips. Find products, find STIHL Dealers and connect to the STIHL community. Already a STIHL owner? Enjoy quick access to product manuals, how-to articles and videos. Available in the iTunes App Store and Google Play.

NOTE: STIHL recommends using fuel with no more than 10% Ethanol content. Using fuel with greater than 10% Ethanol content may cause damage to your equipment and may void your STIHL limited warranty.

REAL
STIHL.
FIND
YOURS.



STIHLUSA.COM     /stihlusa

7010.871.3765.M61.29.K19.MG ©2019 STIHL Incorporated