



Husqvarna®

PROFESSIONAL CHAINSAWS



WE ARE STRONGER THAN EVER

X-TORQ® ENGINE TECHNOLOGY

provides lower fuel consumption and reduced exhaust emissions levels in accordance with the world's most stringent environmental regulations.

AUTOTUNE® delivers optimal engine performance while compensating for different fuels, altitude, humidity, temperature and air filter conditions.

LOWVIB® anti-vibration dampeners absorb motion, sparing the users arms and hands.

MAGNESIUM CRANKCASE, sturdily built to withstands high RPMs and tough professional use, ensuring a long service life.

FORGED, THREE-PIECE CRANKSHAFT provides maximum durability for the toughest use.

AIR INJECTION centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

LOW, SLENDER SAW BODY makes the chainsaw easy to handle in any situation.

FELLING SIGHT is molded into the saw body providing critical directional guidance.

TRANSPARENT FUEL INDICATOR makes it easy to visibly check the fuel level.

ADJUSTABLE OIL PUMP makes it easy to set the chain lubrication according to your needs.

SNAP-LOCK cylinder cover is toolless, providing large, open access, saving you time when servicing and cleaning.

EASY STARTING with combined start/stop switch and fuel pump,

RETAINED BAR NUTS and starter screws to prevent loss.

FLIP UP TANK CAPS are easy to open and secure firmly, even when wearing gloves.

SIDE MOUNTED CHAIN TENSIONER makes chain adjustment quick and easy.

LOW GYROSCOPIC FORCES

are a result of unique cylinder design and an optimized center of gravity.

X-CUT CHAIN cuts up to 15% better because it's designed to optimize the performance of your Husqvarna chainsaw.

1 YEAR professional gas powered - **2 YEAR** battery powered chainsaw warranties - our commitment to your success.

7 DAY money back guarantee, ensures your satisfaction.



*This listing of features is intended to provide a general overview, not all features are available on all models.

THE **XP**[®] DIFFERENCE

Compared to the Husqvarna Professional series, XP[®] chainsaws set the standard for peak performance and exist in a class all their own.

MORE HORSEPOWER AND A BETTER POWER-TO-WEIGHT RATIO is delivered with stuffer plates. These increase the amount of compression in the combustion chamber, which increases the force and power generated.

LARGER TRANSFER PORTS carry more fuel and air, creating more acceleration and torque when you need it.

TUNED IGNITION COIL delivers higher maximum RPMs resulting in a higher chain speed.

POWER BAND, that is optimized for skilled users, delivers more torque within a specific RPM range. When operating the saw within this range, you'll experience far superior power and performance.



535i XP

Li-ion 40V



For professionals who want a lightweight, high performance chainsaw. Perfect for contractors and tree care workers

35 cc* | 40 Volt | 5.3 lbs

555



The horsepower you need to conquer any project. Featuring groundbreaking design and robust power, the 555 is engineered for landowners and tree care professionals.

59.8 cc | 4.3 hp | 13.0 lbs

540i XP

Li-ion 40V



Equivalent to a 40cc professional gas saw when fitted with a BLi300 battery. It's ideal for removal of small and mid-sized trees where you need smooth and efficient cuts.

40 cc* | 40 Volt | 5.5 lbs

562 XP



This all-around saw has a groundbreaking design and is loaded with innovative solutions for convenient operation, including a large-surface air filter and AutoTune.

59.8 cc | 4.8 hp | 13.4 lbs

543 XP



The light and effective, developed for tree care professionals and skilled landowners. The combination of low weight and high chain speed leads to efficient limbing work.

43.1 cc | 2.95 hp | 9.9 lbs

365



Tested by the world's hardest-working landowners and tree care professionals. The combination of low weight and robust power make it well suited for a variety of applications.

70.7 cc | 4.9 hp | 14.1 lbs

545 Mark II



The second generation is ready for felling, limbing and bucking of small and midsize trees. Improved power and a slimmed-down design.

50.1 cc | 3.6 hp | 11.7 lbs

565



Promising next-generation cutting performance, the 565 lets you work faster and more efficiently. Equipped with revamped AutoTune™ and Air Injection™.

70.6 cc | 5.0 hp | 14.3 lbs

550 XP Mark II



The second generation saw delivers maximum power in the 50cc class. A host of innovative features guarantee comfortable and efficient operation, season after season.

50.1 cc | 4.1 hp | 11.7 lbs

372 XP



Enough power for longer bar options, the 372 XP® is ready for the toughest applications. This chainsaw is the ideal combination of high power and low weight.

70.7 cc | 5.5 hp | 14.6 lbs



572 XP

The 572 XP® has a better power-to-weight ratio and 12% higher cutting capacity than previous models in the same class. Get ready to cut faster, longer and better than ever.

70.6 cc | 5.6 hp | 14.5 lbs



T525

Lightweight and ergonomic, the chainsaw is designed for professional tree care workers. Delivers exceptional power during trimming and pruning work.

27 cc | 1.5 hp | 6.0 lbs



390 XP

Performance and vibration damping are dimensioned for jobs that require longer cutting equipment. Good ergonomics make it easy to handle despite its size and high power.

88.0 cc | 6.5 hp | 16.1 lbs



T535i XP

Li-ion 40V

For professional users who want a lightweight, extremely easy-to-use top handle chainsaw with high performance. Perfect for arborists.

35 cc* | 40 Volt | 5.3 lbs



395 XP

One of the world's most capable and legendary chainsaws. Excellent balance and a rugged design make this large saw easy to operate – even with longer guide bars.

94.0 cc | 7.1 hp | 17.4 lbs



T435

A mid-sized, top-handled chainsaw you can count on. This lightweight-but-powerful chainsaw is ready to tackle your tree pruning jobs.

35.2 cc | 2.0 hp | 7.5 lbs



3120 XP

Our largest saw is one of the most powerful in the world. Primary applications include logging, portable saw mills, and stump work. Designed to pull the chain on our longest bars.

118.8 cc | 8.4 hp | 22.9 lbs



T540 XP II

A high-end, top-handled chainsaw designed for professionals. Superior performance, innovative features and exceptional ergonomics.

37.7 cc | 2.4 hp | 8.6 lbs



T540i XP

Li-ion 40V

Equivalent to a 40cc professional gas saw when fitted with a BLi200X battery. This saw is the ideal tool for all professional tree care.

40 cc* | 40 Volt | 5.5 lbs

100% HUSQVARNA PERFORMANCE ALL THE WAY.

X-CUT CHAINS AND HUSQVARNA BARS.
DESIGNED BY THOSE WHO BUILT YOUR CHAINSAW.

X-CUT DELIVERS UP TO 15% MORE EFFICIENCY

Husqvarna **X-CUT**® is the world's first original Husqvarna saw chain. It's designed for a single purpose: to optimize the performance of your Husqvarna chainsaw – and thereby maximize your output. This is how it works.



SHARPNESS THAT LASTS

From the cutter design to the manufacturing process, every facet of the X-Cut® chain is refined to the extreme. The X-Cut® chain features outstanding sharpness straight out of the box, and it lasts longer before filing is needed.

LOW STRETCH

The X-Cut® chain is pre-stretched at the factory, allowing you to work longer without re-tensioning. Constant adjustments won't slow you down, and the risk of damaging the saw due to a slack chain is decreased significantly.

HIGH DURABILITY

A precisely balanced combination of materials and manufacturing processes have resulted in the X-Cut® chain's excellent, dynamic durability. Wear on the cutting system is reduced, along with the need for service.

HIGH CUTTING EFFICIENCY

The X-Cut® chain is designed to cut faster and smoother right out of the box. Your cutting efficiency is improved, and thereby your results. At the same time, less human effort is required, which makes the experience easier on your body.

OPTIMAL CUTTING ANGLE

A saw chain's cutting angle is critical. The tighter the angle, the higher the sharpness – however, if you overdo it, the cutter will lose sharpness and break. With the X-Cut® chain, Husqvarna has found the perfect angle.

CHROME AND STEEL EXACTLY MEASURED

The microstructure of the steel – not too hard, not too soft – and the chrome layer – not too thick, not too thin – have been precisely defined on a molecular level. This ensures the X-Cut® chain's high sharpness and cutting capacity.

SUPERIOR LUBRICATION

Small, arrow-shaped channels in the links transport oil to the X-Cut® chain during operation, guaranteeing superior lubrication. The result is less wear and tear on your Husqvarna chainsaw.

OPTIMAL HEAT TREATMENT

For the X-Cut® chain's hardening, Husqvarna has developed a unique method. This process involves optimal heat treatment and cooling – creating an incredibly durable structure on the molecular level.






GET THE MOST OUT OF YOUR HUSQVARNA

X-FORCE™ is Husqvarna's answer to the challenge for the perfect guide bar – that is both lightweight and low-maintenance to minimize your burden, yet durable enough to withstand tough work over long time. Husqvarna **X-FORCE™** guide bars are developed alongside Husqvarna **X-CUT®** chains, optimized for Husqvarna chainsaws. The result is a cutting system that makes your chainsaw perform on an entirely new level – delivering a fast, precise kerf with minimal friction loss.

PROLONG YOUR BAR AND CHAIN LIFE

Always use Husqvarna X-Guard chain oil. Incorrect use of chain oil is a common source of damage to saws and tends to lead to rapid wear of the bar, or the chain jamming or derailing.



Optimized welding pattern for improved durability and stiffness.

Optimized profile for lower wear and longer lifetime.

Increased bar width for improved durability.

Reinforced, maintenance-free nose sprocket.

Anti-clog oil pickup for improved lubrication.

Optimized center plate design for reduced weight.

OPTIMIZE YOUR MACHINE'S PERFORMANCE

Give your Husqvarna product what it needs. Our selection of oil and fuel products is made of the highest quality components, developed by Husqvarna, for your Husqvarna products. It meets all the high demands that you put on your product.



Engineering approved lubricant guaranteed to keep your power equipment running like new.




Less deposits and cleaner parts extends engine life by reducing risk of ring sticking.



PRODUCT MEETING JASO M345

Meets industry's highest standard for 2-stroke oil performance.
*XP+ only



Lower operating temperature, reducing the risk of engine failure.

XP+ SYNTHETIC BLEND 2-STROKE OIL

Husqvarna XP+ 2-Stroke Oil has been engineered to maximize your engine's performance. The Husqvarna XP+ low smoke formulation is also specifically engineered to ensure lowest operating temperature, preventing premature engine bearing failures.



AVAILABLE SIZES

- 2.6 oz 1 Gal
- 5.2 oz 5 Gal
- 6.4 oz 55 Gal
- 12.8 oz



HP SYNTHETIC BLEND 2-STROKE OIL

The semi-synthetic base oils and high quality additives used in the Husqvarna HP formulation ensure optimal lubricity and detergency, resulting in lower operating temperature and less deposits in the crankcase.



AVAILABLE SIZES

- 2.6 oz 1 Gal
- 5.2 oz 5 Gal
- 6.4 oz 55 Gal
- 12.8 oz



X-GUARD PREMIUM BAR AND CHAIN OIL

Formulated from virgin base stock oils, Husqvarna's X-Guard lubricant reduces friction and wear on cutting bars and chains, extending the life of cutting equipment. X-Guard's reduced sling formulation includes a premium tackifier additive, which ensures the lubrication is maintained on the cutting equipment for optimal performance.



AVAILABLE SIZES

- All Season 1 Qt
- All Season 1 Gal
- All Season 55 Gal
- Low Temp 1 Gal
- Low Temp 55 Gal
- Bio 1 Gal



BENEFITS OF X-GUARD PREMIUM BAR & CHAIN OIL



Great all-around, every day use bar and chain oil.



For use below 32°F (0°C).



Biodegradable in 28 days or less.

XP+ 2-STROKE FUEL + OIL

Husqvarna ETHANOL FREE, High Octane Fuel is mixed with Husqvarna's best synthetic oil blend. OCTANE RATING: (R+M)/2 METHOD 95. This product was specifically formulated to provide optimal equipment performance. Fuel does not degrade or oxidize like pump gas and stays fresh for years. Easier, more dependable starts. Protects fuel systems and saves carburetors. Avoids costly rebuilds and downtime. Convenient, ready to use, no mixing required. JASO-FD certified premium synthetic oil blend.



AVAILABLE SIZES

- 1 Qt
- .859 Gal
- 4.75 Gal
- 48 Gal



POLE SAWS

WELL-BALANCED MACHINES FOR THE TRICKIEST OF TASKS

Pruning dense trees can force unnatural working positions that can be harmful to your body. Our pole saws are designed to help you work with ease and give you a high-end result in every situation. The saws are light, well-balanced and provide rapid acceleration.



530iP4

Li-ion 40V



Fixed length professional pole saw delivers battery performance that surpasses gas-powered equivalents, while reducing noise and emissions. IPX4 water resistant.

530iPT5

Li-ion 40V



Telescopic battery pole saw for professionals. Delivers battery performance that surpasses gas-powered equivalents, while reducing noise and emissions. IPX4 water resistant.

525P4S



Fixed length professional pole saw with excellent ergonomics and superior balance.

525P5S



Detachable shaft pole saw allows for easy transportation between work sites. Low weight, excellent ergonomics and superior balance.

525PT5S



Telescopic professional pole saw with the longest reach available from Husqvarna. Excellent ergonomics and superior balance.

WE ARE BATTERY POWER



WHY CHOOSE BATTERY? THE BENEFITS OF THE HUSQVARNA BATTERY SERIES



MAXIMUM FLEXIBILITY

Our battery system can be used on all Battery Series products making them extremely flexible. The batteries have features which prolong life-span and allow them to be run and recharged continuously. Always ready to use.



HIGH PERFORMANCE

Powerful compact long-life Husqvarna developed motors with low weight offer instant and equal torque no matter what the operating speed. This results in performance which exceeds gas equivalent machines. Our brushless motors also offer 90% efficiency for maximum runtime.



SAVES YOU MONEY

Costing less than 10 cents to recharge a battery, the machines have a much lower cost to operate compared to gas equivalents. The benefits are even higher when used professionally or full-time.



EASY TO USE

Low weight and excellent balance make the products extremely comfortable to handle. The machines are switched ON and OFF at the push of a button via the unique keypad making them effortless to start and also protected against accidental activation.



500
SERIES

PROFESSIONAL DURABILITY

Using our vast experience of what is required to meet the needs of professional use, all of our 500 series battery products are put through the same duration lab test procedures as our 500 Series 2-stroke gas products.



HEALTHIER WORK

With no direct emissions our battery products are clean and pleasant to use. This is especially beneficial when working in confined spaces and allows safe use in covered and indoor areas.



LOW NOISE

Products are up to 18db(A) lower noise than gas equivalents. A reduction of 3dB(A) is seen as half the noise level. This makes for a comfortable work environment and low disturbance for others, enabling the possibility to work in noise sensitive areas.



ALL WEATHER USE

Our 500 series products can be used in the most demanding weather conditions. The sealed motors, electronics and batteries protect against ingress of dirt and moisture allowing you to keep working.



A SUSTAINABLE BUSINESS FOR YOU AND OUR ENVIRONMENT

For you as a professional, our battery-powered tools are a sheer pleasure to work with. Not only because every machine supplies the performance and durability you need for tough use during long working hours, or because of the low vibration levels. But just as much for the chance to be part of a better tomorrow, due to significantly less noise and no exhausts. And thanks to our high-capacity, user-friendly and flexible battery system, you're able to easily and quickly make the switch and continue working ergonomically and efficiently at all times.

1 **PERFORMANCE** READY FOR TOUGH, RELIABLE USE

Our professional battery machines are now stronger than ever, offering performance on par with some of their most powerful gas-powered counterparts. And our in-house designed lithium ion batteries ensure durability and performance, year after year.

2 **FLEXIBILITY** JUST PICK A BATTERY AND CONNECT

Our battery system is based on a common platform for maximum flexibility. This means you can choose almost freely among our batteries, chargers and accessories, depending on your needs.

3 **SUSTAINABILITY** KIND TO THE USER AND ENVIRONMENT

Our user-centric product design makes your work less strenuous in every situation. Furthermore, the low noise and no direct emissions are great for you.

4 **HUSQVARNA FLEET SERVICES™** KEEP TRACK OF YOUR EQUIPMENT

Our digital management tool allows you have updated statistics and plan work assignment and service. At all times – directly from your phone, tablet or laptop.

5 **ECONOMY** SMALL INVESTMENTS. BIG REVENUES.

Every battery charge cost just a fraction of the price of a tank of fuel. This gives you running costs close to zero and means that our battery machines pay for themselves quicker than you might think. And once they do, you're making money every time you charge.



DEVELOPED INHOUSE

PERFECT FIT, PERFECT PERFORMANCE

Husqvarna's lithium ion batteries are all developed and tested by Husqvarna. We've paid great attention to ensure performance and durability, year after year. Constant high performance, long lifetime and short charging time are guaranteed. And thanks to Husqvarna's unique design where all vital parts are encapsulated, the batteries are also rain- and dust resistant.



BATTERY WORKING TIME ON ONE CHARGE



APPLICATION		CHAINSAW	BLi300	BLi200X	BLi200
Take down /removal		540i XP® T540i XP®	3 h 30 min	2 h	2 h
Pruning in tree		540i XP® T540i XP® 535i XP® T535i XP®	5 h 30 min	3 h	3 h
Pruning		540i XP® T540i XP® 535i XP® T535i XP®	2 h 15 min	1 h 15 min	1 h 15 min
Log cutting		540i XP® T540i XP® 535i XP® T535i XP®	1 h	30 min	30 min

APPLICATION		POLE SAW	BLi300	BLi200X	BLi200
Pruning		530iPT5 530iPT4	3 h 30 min	2 h	2 h

CHARGING TIME FOR DIFFERENT BATTERIES AND CHARGERS



BATTERY	CHARGING CYCLES	QC500		QC300	
		CHARGING LEVEL		CHARGING LEVEL	



BLi300	1500	35 min	1 h	55 min	1 h 20 min
BLi200x	1500	30 min	50 min	30 min	50 min
BLi200	1500	30 min	50 min	30 min	50 min

EXPECT MAXIMUM PROTECTION — NO MATTER PERFORMANCE LEVEL.

HUSQVARNA PROTECTIVE CLOTHES



MOVABILITY



DURABILITY



VENTILATION



TECHNICAL EXTREME ARBOR

- Lightweight stretch fabric
- Waist adjustment with hook and loop
- Ventilation zippers on back of legs
- Meets ASTM F1897-14 (US) and ASTM F3325-19 (Canada), ANSI Z133.1, OSHA standards and UL® Certified



TECHNICAL

- 4-way stretch comfort, flexibility
- Durable construction
- Light weight design for all day comfort
- Meets ASTM F1897-14 (US) and CAN/BNQ 1923-450-M91 (Canada), ANSI Z133.1, OSHA standards and UL® Certified



CLASSIC

- Durable, breathable and protective
- Reinforced knees
- True fit sizings



CLIMB HIGHER WITH HUSQVARNA® ESSENTIAL GEAR



Tree care is one of the world's most demanding occupations. Working as a professional arborist requires a wealth of knowledge and hands-on experience. That's why Husqvarna has partnered with professionals in creating our line of **Arborist Essentials** gear.



HUSQVARNA CHAINSAW **CROWN COMMITMENT™**

7-DAY MONEY-BACK GUARANTEE

MONEY BACK GUARANTEE

We're confident you'll love your new Husqvarna chainsaw. So confident that we offer a money-back guarantee so you can buy without reservation. If you're not satisfied with a qualifying professional chainsaw within seven days of purchase, you can return it for a full refund or store credit towards the purchase of a new Husqvarna product from the dealer.

*Terms and conditions apply. Valid at your local participating Husqvarna Dealer only. All models are not available at all dealers, so be sure to call or visit your local dealer for more information.



**1 YEAR
PROFESSIONAL
GAS POWERED
WARRANTY**



**2 YEAR
PROFESSIONAL
BATTERY
POWERED
WARRANTY**

Your Husqvarna chainsaw is more than a purchase, it's an investment in cutting excellence. Season after season, you depend on your chainsaws for your livelihood. As one of our customers, we know you're putting your trust in us. That's why we offer a 1 year professional-use warranty on our gas-powered professional and XP chainsaws.

* During the 1 year warranty period, Husqvarna will at its option repair or replace, at no charge, any product or part purchased after 1st of January 2019 that has a defect in material or workmanship under normal use and maintenance (including any commercial, professional, agricultural, institutional or income-producing use). This warranty is subject to the terms and conditions in Husqvarna's Limited Warranty. See the details of Husqvarna's manufacturer's warranty.



PROFESSIONAL CHAINSAWS

Below is a list of our OEM powerhead, bar and chain kits.

REAR HANDLE CHAINSAWS				
MODEL	PITCH	GAUGE	BAR LENGTH	PART NUMBER
535i XP	3/8 MP	.043	14	967893874
540i XP	3/8 MP	.043	14	967864014
			16	967864016
			16	967146202
543 XP	.325	.050	16	967146202
545 Mark II	.325	.050	16	967690636
			18	967690638
			20	967690640
	.325	.058	16	967690616
			18	967690618
			16	967690836
550 XP Mark II	.325	.050	18	967690838
			20	967690850
			16	967690816
	.325	.058	18	967690818
			20	967690820
			18	966451904
555	3/8	.050	20	966451906
			24	966451908
			18	966451905
	3/8	.058	20	966451907
			24	966451909
			18	966570302
562XP	3/8	.050	20	966570304
			24	966570306
			28	966570322
			18	966570303
	3/8	.058	20	966570305
			24	966570315
			28	966570323
			28	966570328
	3/8	.063	20	966428621
			24	966428694
			28	966428624
			20	966428620
365	3/8	.050	24	966428623
			28	966428625
			20	966733906
	3/8	.058	24	966733908
			28	966733910
			20	966733907
565	3/8	.050	24	966733909
			28	966733911
			20	966733906
	3/8	.058	24	966733108
			28	966733111
			20	966733107
372 XP	3/8	.050	24	966733109
			28	966733112
			28	966733113
	3/8	.058	28	966733113
			32	966733114
			32	966733114

REAR HANDLE CHAINSAWS					
MODEL	PITCH	GAUGE	BAR LENGTH	PART NUMBER	
572 XP	3/8	.050	20	966733106	
			24	966733108	
			28	966733111	
	3/8	.058	20	966733107	
			24	966733109	
			28	966733112	
	3/8	.063	28	966733113	
			32	966733114	
			20	965060720	
	390 XP	3/8	.050	24	965060724
				28	965060728
				32	965060732
3/8		.058	20	965060730	
			24	965060734	
			28	965060738	
3/8		.063	28	965060750	
			32	965060714	
			36	965060751	
395 XP		3/8	.050	20	965902749
				24	965902737
				28	965902739
	32			965902709	
	3/8	.058	36	965902720	
			20	965902762	
			24	965902763	
			28	965902765	
	3/8	.063	32	965902772	
			28	965902771	
			32	965902735	
			36	965902710	
3120 XP	Powerhead only			965960701	

TOP HANDLE CHAINSAWS				
MODEL	PITCH	GAUGE	BAR LENGTH	PART NUMBER
T525	3/8	.050	12	967633312
T535i XP	.325 Mini	.043	12	967893972
T435	3/8	.050	12	966997232
			14	966997234
			16	966997236
T540 XP II 49 State	3/8	.050	14	967287614
			16	967287616
T540 XP II CARB	3/8	.050	14	970463314
			16	970463316
T540i XP	3/8 Mini Pixel	.043	12	967863712
			14	967863714
			16	967863716

BAR & CHAIN FIT-UP

The following suggested bar & chain types are based on the most common original equipment combination. Additional Husqvarna bars and chains are available from your local dealer.

REAR HANDLE CHAINSAWS							
MODEL	PITCH	GAUGE	BAR LENGTH(S)	DRIVE LINKS	BAR	X-CUT CHAIN	FILE SIZE
535i XP	3/8 Mini Pixel	.043	14	59	596553659	SP21G 596553359	11/64
540i XP	3/8 Mini Pixel	.043	14	59	596553659	SP21G 596553359	11/64
			16	64	596553664	SP21G 596553364	11/64
543 XP	.325 Pixel	050	16	66	596199766	SP33G 581643666	3/16
			18	72	596199772	SP33G 581643672	3/16
	.325 Pixel	058	16	66	596199866	H25 591099072	3/16
			18	72	596199872	H25 591099078	3/16
545 II 550 XP II	.325 Pixel	050	16	66	X-FORCE 596199766	SP33G 581643666	3/16
			16	66	596008966	SP33G 581643666	3/16
			18	72	X-FORCE 596199772	SP33G 581643672	3/16
			18	72	596008972	SP33G 581643672	3/16
			20	80	X-FORCE 596199780	SP33G 581643680	3/16
			20	78	596008978	SP33G 581643678	3/16
	.325	058	16	66	X-FORCE 596199866	H25 591099066	3/16
			16	66	596009066	H25 591099066	3/16
			18	72	X-FORCE 596199872	H25 591099072	3/16
			18	72	596009072	H25 591099072	3/16
			20	78	596009678	H25 591099078	3/16
			20	78	596009078	H25 591099078	3/16
555	3/8	.050	16	60	595971360	C83 585550060	7/32
			18	68	595971368	C83 585550068	7/32
			20	72	595971372	C83 585550072	7/32
			24	84	595971384	C83 585550084	7/32
	3/8	.058	16	60	595971760	C85 581626960	7/32
			18	68	595971768	C85 581626968	7/32
			20	72	595971772	C85 581626972	7/32
			24	84	595971784	C85 581626984	7/32
365 372 XP 562 XP 565 572 XP	3/8	.050	16	60	595972160	C83 585550060	7/32
			18	68	595972168	C83 585550068	7/32
			20	72	595972172	C83 585550072	7/32
			24	84	595972184	C83 585550084	7/32
			28	93	595972193	C83 585550093	7/32
	3/8	.058	16	60	596007560	C85 581626960	7/32
			18	68	596007568	C85 581626968	7/32
			20	72	596007572	C85 581626972	7/32
			24	84	596007584	C85 581626984	7/32
			28	93	596007593	C85 581626993	7/32

REAR HANDLE CHAINSAWS							
MODEL	PITCH	GAUGE	BAR LENGTH(S)	DRIVE LINKS	BAR	X-CUT CHAIN	FILE SIZE
390 XP 395 XP	3/8	.050	18	68	595972168	C83 585550068	7/32
			20	72	595972172	C83 585550072	7/32
			24	84	595972184	C83 585550084	7/32
			28	93	595972193	C83 585550093	7/32
			32	105	595972105	C83 585550005	7/32
	3/8	.058	18	68	596007568	C85 581626968	7/32
			20	72	596007572	C85 581626972	7/32
			24	84	596007584	C85 581626984	7/32
			28	93	596007593	C85 581626993	7/32
			32	105	596007505	H48 591151505	7/32
			36	115	596007515	C85 581626915	7/32
	3120 XP	3/8	.050	24	84	595972184	C83 585550084
28				93	595972193	C83 585550093	7/32
32				105	595972105	C83 585550005	7/32
3/8		.058	24	84	596007584	C85 581626984	7/32
			28	93	596007593	C85 581626993	7/32
			32	105	596007505	H48 591151505	7/32
			36	115	596007515	C85 581626915	7/32

TOP HANDLE CHAINSAWS							
MODEL	PITCH	GAUGE	BAR LENGTH(S)	DRIVE LINKS	BAR	X-CUT CHAIN	FILE SIZE
T525	3/8 Mini	.050	12	45	X-PRECISION 596009745	S93G 596009745	5/32
T535i XP	.325 Mini Pixel	.043	12	51	X-PRECISION 596553651	SP21G 596553351	11/64
T435	3/8 Mini	.050	12	45	596009745	S93G 585422145	5/32
			14	52	596009752	S93G 585422152	5/32
			16	56	596009756	S93G 585422156	5/32
T540 XP	3/8 Mini	.050	14	52	596009752	S93G 585422152	5/32
			16	56	596009756	S93G 585422156	5/32
T540i XP	.325 Mini Pixel	.043	12	51	X-PRECISION 596553651	SP21G 596553351	11/64
			14	59	X-PRECISION 596553659	SP21G 596553359	11/64
			16	64	X-PRECISION 596553664	SP21G 596553364	11/64

LAMINATE
SOLID, RSN



Husqvarna[®]

Husqvarna Professional Products, Inc.

9335 Harris Corners Pkwy, Ste. 500, Charlotte, NC 28269
(704) 597-5000

husqvarna.com



#HusqvarnaPro
#newchainsawgeneration
#wearebatterypower